


HARRIS STOLPER INT'L. INC.

PARTS CATALOGUE





HARRIS STOLPER - PARTS CATALOGUE

1. . . DOORS :

- Latches and Handles :
- Door Hardware:
- Gas Cylinder:
- Door Prop:
- Miscellaneous:

2. . . ALUMINIUM SLIDER WINDOW PARTS :

3. . . WIPERS :

- Two Speed Type "J" Wiper:
- Single Speed Wiper:
- Windshield Washer:
- Miscellaneous:

4. . . LIGHTS :

- Lights:
- Switches , Wiring Parts ,

5. . . VENTILATION :

- Heaters :
- Air Conditioning:
- Defrost Fan:
- Heater Installation Parts:

6. . . WEATHERSTRIPPING / INSULATION MATERIALS :

7. . . TILT CYLINDER COVER :

8. . . MISCELLANEOUS :

- Mirrors :
- Plugs, Grommets, Cable Tie :


9. . . STEEL :

- Sheet and Plate Steel :
- Structural Tubing :

10. . GLASS :


LATCHES

BLACK PADDLE HANDLE ASSEMBLY





LATCHES and HANDLES






LATCHES and HANDLES


LATCH SIZE : 2.38 x 4.38

Left and Right Side Hand is Determined from Driver Seat




DL-36
Inside Non Locking
-LHS Shown

Door Hinges at Rear




DL-48
Inside Locking
-RHS Shown




DL-34
Inside Non Locking
-LHS Shown

Door Hinges at Front



DL-50
Inside Locking
-RHS Shown




Key is Included
with Handle

DL-16
Chrome Handle, Outside Locking
Fits both LH and RH Door
(Used with Latches on Page D-3 and D-4)

LATCHES and HANDLES


LATCH SIZE : 2.00 x 3.38

Left and Right Side Hand is Determined from Driver Seat




DL-42
Inside Non Locking
-LHS Shown

Door Hinges at Rear




DL-52
Inside Locking
-RHS Shown



DL-40
Inside Non Locking
-LHS Shown

Door Hinges at Front




DL-54
Inside Locking
-RHS Shown


*Outside Locking Handle for Above Latches is
Pn. DL-16 . See Pg. D-3.*




LATCHES and HANDLES



DL-95
Tear Drop Latch Assembly



DL-12168-37(Shown)
DL-12167-37(Opposite)
Inside Release Handle for Remote Latch




Latch Assembly





LATCHES and HANDLES

LATCH SIZE : 4.25" x 5.50"


Key is Included
with Handle.



DL-10
Paddle Lock w / Inside Release




DL-12
Paddle Lock with Inside Release
(No Key Lock)







DOOR HARDWARE



DR-32 8.0" Long
DR-33 12.0" Long
Nylon Door Restraint




DH-20
Window Hinge



DR-771 0070
Pin Kit

DR-771 0049
Door Holder

Door Holder Assembly




DL-10338-16
Striker Bolt- Long



DOOR HARDWARE

GAS CYLINDER

DR-2929
Ball Stud




PART No.	CAPACITY	COLOR	LENGTH	
DR-21	30 lb.	Blue	18 .125"	Complete with end fittings . Ball studs not included.
DR-22	30 lb.	Blue	12 .50"	
DR-23	90 lb.	Yellow	18 .125"	
DR-24	60 lb.	Red	12 .50"	
DR-29	60 lb.	Red	18 .125"	
DR-777-6963	60 lb.	White	17.219"	



DOOR HARDWARE

GAS CYLINDER



PART No.	CAPACITY	COLOR	LENGTH	
DR-20	100 lb.	Yellow	27.75"	End fittings and ball studs must be ordered separately




DOOR HARDWARE


DOOR PROP ASSEMBLY H0177 (H0177 is Assembly of Both H0177L and H0177R)

PJ-H0177L Door Prop Assembly for LHS (Shown Bellow)

PJ-H0177R Door Prop Assembly for RHS (Opposite)



WELD-ON HINGES




DH-25 120mm
DH-752-0288 . . 180mm
Weld-On Heavy Duty Hinge

H043
Weld-On
Hinge-Short
(Usually on Top of Door)




ALUMINIUM DOOR SLIDER (LHS SHOWN)

TO OBTAIN PART No. PLEASE PROVIDE MACHINE MODEL & CAB SERIAL No.




LH / RH Determined
from Operators Seat.





ALUMINIUM REAR SLIDER

TO OBTAIN PART No. PLEASE PROVIDE MACHINE MODEL & CAB SERIAL No.



Slider Latch-Top

H0550-2
H0550-3
H0550-5

} See pg. S-3

Slider Latch -Bottom

H0550-22.
H0550-23
H0550-25


} See pg. S-3



ALUMINIUM SLIDER PARTS


TO OBTAIN PART No. PLEASE PROVIDE MACHINE MODEL & CAB SERIAL No.

Door Slider Latch
H0550-1 4.0" Length




Rear Slider Latch-Top

H0550-2 21.0" Length
H0550-3 25.5" Length
H0550-5 31.0" Length



Rear Slider Latch -Bottom


H0550-22 21.0" Length
H0550-23 25.5" Length
H0550-25 31.0" Length





WIPERS

TWO SPEED WIPER TYPE "J"



Front Wiper Motor :

EW-WJ12M-UNI 12 Volt

EW-WJ24M-UNI 24 Volt

EW-WJ40M-UNI 40 Volt

Also Available is Front Motor Kit Which Includes :


Motor with 1.25" Shaft (See page E2 for Shaft length measurement)
Arm , Blade , Switch and Panto Kit (if applicable)

Specify Cab Model , Serial No. , Voltage and Arm Type (Radial or Pantograph)
to determine assembly configuration.



W I P E R S

TWO SPEED WIPER PARTS FOR TYPE "J" WIPER



Front Wiper Shaft

EW-SJ10.....1.25" Shaft Length



EW-SJ12.....2.0" Shaft Length

EW-SJ14.....3.0" Shaft Length






WIPERS

TWO SPEED WIPER PARTS FOR TYPE "J" WIPER



EC-4776-12
Wiper Switch 3 Position
(No Washer Function, for Both
12 and 24 Volt Systems.)

EW-S01
Wiper Switch, 3 Position
(Push to Activate Washer Function for Both
12 and 24 Volt Systems.)





WIPERS

WIPER ARMS FOR TYPE "J" WIPER

NOTE : * Denotes .220" Saddle Width on Arm.

** Denotes .560" Saddle Width on Arm

Blade Width at Saddle is Slightly Less . Select Blade and Arm of Same Saddle Width .

PANTO ARM:


*EW-A16 16" (dull)

*EW-A18 20" (black)

**EW-LE52186-20 20" (black)

**EW-A13B 24" (black)

**EW-LE-51917-28 28" (black)




STRAIGHT ARM :

*EW-A05 14"-19" Adjustable Arm (dull)

**EW-LE56780-16 16" (black)

*EW-A22 20" (dull)

**EW-52179-24 24" (black)





WIPERS

WIPER BLADES FOR TYPE "J" WIPER

NOTE : * Denotes .220" Saddle Width on Arm.

** Denotes .560" Saddle Width on Arm


Blade Width at Saddle is Slightly Less .Select Blade and Arm of Same Saddle Width .

CURVED BLADE :

*EW-B04 20"

**EW-B24 24"

**EW-52149-28 28"




FLAT BLADE :

*EW-B02 16"

*ST-2813V014 20"


*EW-B05 22"



WIPERS

SINGLE SPEED WIPER

No Replacement Parts are Available for This Motor Assembly.



ALSO AVAILABLE AS KIT :

H0198-1 (12 Volt) Includes:

Motor EW-WF12M
14"-19" Adjustable Arm (Black) ... EW-TM-22-1419
20" Blade (Flat, Black) EW-TM-20-2000

H0198-2 (12 Volt) Includes:

Motor EW-WF12M
12"-16" Adjustable Arm (Black) ... EW-A02
16" Blade (Flat, Black) EW-B02

H0198-3 (12 Volt) Includes:

Motor EW-WF24M
14"-19" Adjustable Arm (Black) ... EW-TM-22-1419
20" Blade (Flat, Black) EW-TM-20-2000


H0198-4 (24 Volt) Includes:

Motor EW-WF24M
12"-16" Adjustable Arm (Black) ... EW-A02
16" Blade (Flat, Black) EW-B02



WIPERS


WIPER ARMS and BLADES FOR SINGLE SPEED WIPER



STRAIGHT ARM :

EW-A02 12"-16" Adjustable Arm (Black)

EW-TM-22-1419 14"-19" Adjustable Arm (Black)



FLAT BLADE :

EW-B02 16" (Black)

EW-TM-20-2000 20" (Black)

NOTE:


*When Replacing Older Bright Finished Blade with a New Black Coated Blade,
the Width of the Blade at Saddle must be Reduced .*

Bench Vise may be Used for this Purpose.

Alternatively, Replace Both Arm and Blade with Parts Shown Above.

WIPERS


WINDSHIELD WASHER PARTS




EW-W06
Nozzle




EW-HS1
Washer Hose




EW-W04
Windshield Washer Switch Kit



EW-W02
Reservoir Bottle Pump



H0197
Resistor Guard



EC-AL50-50-R00F
Resistor
(Used on 24 Volt Electrical System)

EL-12500 (12 Volt)


Washer Bottle Kit - Includes : Reservoir Bottle Pump , Nozzle , Switch ,
(3/16"ID x 5/16"OD Washer Hose not Included.)

EL-12500-24V (24 Volt)


Washer Bottle Kit - Includes : Reservoir Bottle Pump , Nozzle , Switch , Resistor, Resistor Guard ,
(3/16"ID x 5/16"OD Washer Hose not Included.)




LIGHTS



EL-35 (12-48 Volt)
Strobe Light - (Specify Amber or Red)




EL-12 (12 Volt)
Revolving Light Junior - (Specify Amber or Red)




EL-14 (12Volt)
EL-14 24V . . (24 Volt)
Revolving Light H.D. -(Amber)

LIGHTS



EL-03
Stop & Tail Lamp



EL-06 (12 Volt)
EL-06-24 (24 Volt)
Directional Lamp

ALSO AVAILABLE AS A KIT:


EL-708 (12 Volt) . . . Stop & Tail Light Assembly Includes : **EL-03** Stop & Tail Lamp (2 Each)
EL-708-24V (24 Volt) . . . Stop & Tail Light assembly Includes : **EL-03-24** Stop & Tail Lamp (2 Each)

EL-709 . . . (12 Volt) . . . Directional w/Hazard Flasher Assembly Include :
EL-06.....Red / Amber Directional Lamp (2 Each)
EL-08.....Turn signal Switch 12 Volt
EL-11.....Flasher 3 Prong
EL-18.....Flasher Connector
H0186.....Turn Signal Switch Bracket

EL-709-24V (24 Volt) . . . Directional w/Hazard Flasher Assembly Include :
EL-06-24.....Red / Amber Directional Lamp (2 Each)
EL-08-24.....Turn signal Switch (Replace Light Bulb with EC-356 Bulb.)
EL-11-24.....Flasher 3 Prong
EL-18.....Flasher Connector
H0186.....Turn Signal Switch Bracket
EC-356.....Light Bulb 24Volt.




LIGHTS



EL-09 Working Light (Halogen) - 12 Volt
EC-H3 Replacement Light Bulbs - 12 Volt



EL-09-24V Working Light (Halogen) - 24 Volt
EC-SSH-3070 Replacement Light Bulbs - 24 Volt

EC-BULB (12 Volt)
EC-7180-BULBS . (24 Volt)
Light Bulbs for Dome Light




EC-7180 (12 Volt)
EC-7180-24V (24 Volt)
Interior Dome Light

ELECTRICAL PARTS




EC-42
Light Switch



EL-08
Turn Signal Switch - 12 Volt
Uses EC-53 Light Bulb.
Replace Light Bulb with EC-356 to Convert to 24 Volt.




ELECTRICAL PARTS




Cap Not Sold
Separately

EF-05
Fuseholder



Fuses :

- EF-02** . . . ACG 15Amp Buss
- EF-03** . . . ACG 5 Amp Buss
- EF-04** . . . ACG 3 Amp Buss
- EF-06** . . . ACG 7.5Amp Buss



Fuses :

- EF-A20AMP** 20 AMP (Yellow)



HEATERS

For Liquid Cooled Engine Trucks


Model

VH-002 12V

VH-016 24V





20 000 BTU w/adjustable diffuser;

For Replacement Parts See pg. V-2, V-3.



For Liquid Cooled Engine Trucks

HEATER PARTS : VH-002 (12 Volt.)



Ø5/8" HTR.HOSE
CONNECTION

8			
7			
6	1	VH-0122	KNOB
5	1	VH-013	SWITCH (INCLUDES KNOB)
4	1	VH-024	FAN(6.6" CCW)
3	1	VH-23-0045	LOUVER
2	1	VH-23-0048	ADAPTER
1	1	VH-025	MOTOR 12V
SYM	PCS	PART NO.	DESCRIPTION

SPECIFICATIONS

HEATING	- 20,000 Btu/h
AIRFLOW	- 265 CFM
CURRENT	- LOW SPEED 3.4 AMPS @13.5V - HIGH SPEED 6.0 AMPS @13.5V
WEIGHT	- 8.5 Lbs

CIRCUIT NOTES:





POSITION 0: OFF
POSITION 1: LOW SPEED
POSITION 2: HIGH SPEED
POSITION 3: OFF



HEATERS and FANS

For Liquid Cooled Engine Trucks

HEATER PARTS : VH-016 (24 Volt.)



Ø5/8" HTR. HOSE
CONNECTION

8			
7			
6	1	VH-0122	KNOB
5	1	VH-013	SWITCH (INCLUDES KNOB)
4	1	VH-024	FAN(6.6" CCW)
3	1	VH-23-0045	LOUVER
2	1	VH-23-0048	ADAPTER
1	1	VH-028	MOTOR 24V
SYM	PCS	PART NO.	DESCRIPTION

SPECIFICATIONS

HEATING	- 20,000 Btu/h
AIRFLOW	- 265 CFM
CURRENT	- LOW SPEED 1.4 AMPS @27V
	- HIGH SPEED 3.2 AMPS @27V
WEIGHT	- 8.5 Lbs

CIRCUIT NOTES:

POSITION 0: OFF
POSITION 1: LOW SPEED
POSITION 2: HIGH SPEED
POSITION 3: OFF

HEATERS and FANS


For Electric Trucks

Model	Volt	Output	Current
VH-11058-36-1	36V	2000W /6820 BTU	55A
VH-11058-48-1	48V	1600W /5460 BTU	42A

For Replacement Parts , See Parts Breakdown Drawings :

VH 11058-36V-1 (36V) pg. V-5

VH 11058-48V-1 (48V) pg. V-6






HEATERS and FANS

For Electric Trucks

HEATER PARTS : VH-11058-48V-1 (48 Volt.)



SPECIFICATIONS:

HEATING: 1600W 48V

AIR FLOW: 220 CFM

CURRENT: 42A

WEIGHT: 18lbs (8.16Kg)


SYM	PCS	PART NO.	DESCRIPTION
23	2	VH-23-0048	ADAPTER
22	2	VH-23-0045	LOUVER
21	1	VH-25-0044	BLOWER SWITCH
20	2	VH-25-1257	JUMPER STUD
19	1	VH-25-1441	BATTERY TERMINAL BOOT (BLACK)
18	1	VH-25-1372	ETA CIRCUIT BREAKER (8A/80V)
17	1	VH-25-1481	ETA CIRCUIT BREAKER (50A/80V)
16	1	VH-29-0890	RESISTOR MTG. KIT
15	1	VH-25-1440	BATTERY TERMINAL BOOT (RED)
14	1	VH-25-1204	DC POWER CONTACTOR
13	1	VH-25-1180	THERMOSTAT SWITCH
12B	1	VH-25-1373	RESISTOR (10)
12A	1	VH-25-1760	RESISTOR (4)
12	1	VH-25-1375	WIRING HARNESS
11	2	VH-25-1170	PTC HEATING ELEMENT
10	1	VH-25-0139	RESISTOR 24V
9	1	VH-15-1560	BLOWER 24V
8	1	VH-29-0913	RESISTOR MTG. KIT
7	1	VH-25-1234	DIODE ASSY.
6	1	VH-28-0722	OVERLAY (CONTROL PANEL)
5	1	VH-28-0369	OVERLAY (+)
4	1	VH-28-0370	OVERLAY (-)
3	2	VH-25-0435	KNOB
2	2	VH-23-0171	LOUVER
1	1	VH-23-0145	LOUVER



HEATERS and FANS

For Electric Trucks

HEATER PARTS : VH-11058-36V-1 (36 Volt.)



SPECIFICATIONS:
HEATING: 2000W 36V
AIR FLOW: 220 CFM
CURRENT: 55A
WEIGHT: 18lbs (8.16Kg)


SYM	PCS	PART NO.	DESCRIPTION
23	2	VH-23-0048	ADAPTER
22	2	VH-23-0045	LOUVER
21	1	VH-25-0044	BLOWER SWITCH
20	2	VH-25-1257	JUMPER STUD
19	1	VH-25-1441	BATTERY TERMINAL BOOT (BLACK)
18	1	VH-25-1372	ETA CIRCUIT BREAKER (8A/80V)
17	1	VH-25-1456	ETA CIRCUIT BREAKER (60A/80V)
16	1	VH-29-0890	RESISTOR MTG. KIT
15	1	VH-25-1440	BATTERY TERMINAL BOOT (RED)
14	1	VH-25-1204	DC POWER CONTACTOR
13	1	VH-25-1180	THERMOSTAT SWITCH
12B	1	VH-25-1373	RESISTOR (10)
12A	1	VH-25-1761	RESISTOR (2.5)
12	1	VH-25-1458	WIRING HARNESS
11	2	VH-25-1169	PTC HEATING ELEMENT
10	1	VH-25-0139	RESISTOR 24V
9	1	VH-15-1560	BLOWER 24V
8	1	VH-29-0913	RESISTOR MTG. KIT
7	1	VH-25-1234	DIODE ASSY.
6	1	VH-28-0722	OVERLAY (CONTROL PANEL)
5	1	VH-28-0369	OVERLAY (+)
4	1	VH-28-0370	OVERLAY (-)
3	2	VH-25-0435	KNOB
2	2	VH-23-0171	LOUVER
1	1	VH-23-0145	LOUVER




HEATERS and FANS

HEATER KIT : VH-K-003 (Includes All Parts Shown Below)


NOTE: Also Available are Heater Kits for Specific Truck and Engine Applications.




VH-054
Shut-Off Valve
5/8" Hose x 3/8" Male Pipe
Qty: 1




EC-167
Cable Tie -11.0" long.
Qty: 4



ST-2529P006
Edge Trim
1ft. Length



VH-003
5/8" ID. Heater Hose
12ft. Length




VH-HS10
Gear Type Hose Clamp
Qty: 4



HEATERS and FANS

DEFROST FAN




VF-002 (12 Volt)

VF-025 (24 Volt)


VF-02648V . . (40 Volt) Works with 36 and 48 Volt Systems.

WEATHERSTRIPPING


Glass Glazing Rubber



WE-620-0013
Glazing Rubber for
Thermopane Glass



ST-1205R046
Self Locking Glazing Rubber



WE-016
Glazing Rubber



WE-018
Locking Strip




WE-013
Bulb Seal for Glass
Swing Window


NOTE: All cross sections are actual size




WEATHERSTRIPPING




WE-005
Cowl Seal




WE-1301
TG. Extrusion




WE-0055
Cowl Seal- 2\"/>



ST-2529P006
Edge Trim



WE-009
Large Bulb Seal




Adhesive Side

WE-EC12-045
Sponge Profile



WE-010
Small Bulb Seal





WE-EC04-190
Bulb Seal Trim

NOTE: All cross sections are actual size.



WEATHERSTRIPPING




Grey Foam (Self Adhesive)

WF-004 . . . 1" x 1"

WF-005 . . . 1-1/2" x 1-1/2"

WF-006 . . . 2" x 2"




Neoprene (Self Adhsive)

WN-006 . . . 3/8" x 3/4"




INSULATION and SOUND ABSORBING MATERIALS




WI-002

1" Thick Conaflex Perforated
- 54" Wide Roll




WM-004

1 1/4" Thick Baryfoil
54"x 72" Sheet




WI-006

1/2" Thick Conaflex Perforated
- 54" Wide Roll




WM-009

1/2" Thick Heavy Duty Floormat
54" x 72" Sheet



WI-010

1" Thick Vinyl Skinned Foam
- 54" Wide Roll




WM-011


1/4" Thick Standard Floormat
- 54" Wide Roll



MISCELLANEOUS PARTS



DM-06
Exterior Mirror



DM-12
Interior Mirror

Tilt Cylinder Cover

*To Obtain Part No. Please Provide
Machine Model No. & Cab Serial No.*

